Setup Instructions for the Wireless Network Access on a Windows XP PRO laptop

Please note Windows XP Home edition may not be compatible with the Hersheymed Wireless Network Set-UP.


Minimum specs for wireless access:

- 1. Needs Service Pack 3.*
- 2. Card must be 802.11b capable.
- 3. Must support 802.1x PEAP authentication.
- 4. User needs account on HERSHEYMED domain.
- 5. Card must support WPA


*To determine which service pack is currently installed on your computer, and to obtain Windows Service Pack 3, see http://support.microsoft.com/kb/322389.

Install your wireless card according to the manufacturer specifications. Configure the wireless network exactly as the screenshots indicate:


Go to Start, Settings, Network Connections, Wireless Network Connections:




Click on "Change Advanced Settings" on the left side.




Click on "Wireless Networks" Tab at the top:



Click on Add button




Type **psmshmc** for the network name (SSID)



Take care that Network Authentication is "WPA 2-Enterprise" and Data encryption is set to "AES" Make certain you have clicked on the box "Connect even if network is not broadcasting." if that option is offered.


Click on **Authentication** tab at the top.

Make certain **Enable IEEE 802.1x** is checked and EAP type is **Protected EAP (PEAP)** Click on **Properties** button



C .

Uncheck Validate server certificate. Click on Configure button.



Uncheck "Automatically use my Windows logon name". (unless you use your epass to log on to your computer.) Click OK, OK, OK and OK





Click on the Wireless Icon in the Taskbar (bottom right)

You must enter your ePass credentials:

