

Gemcitabine and Docetaxel

Condition for Which Treatment is proposed: _____

1. I hereby authorize my physician, Dr _____, and/or such other staff physicians or resident physicians as my physician may designate, to administer to me (or the patient for whom I consent) the following chemotherapy consisting of:

1. **Gemcitabine**
2. **Docetaxel**

The plan for my course of chemotherapy is for _____ cycles of chemotherapy, with each cycle given about every _____ days.

2. My physician has discussed with me the items that are briefly summarized below:
- a. The nature and purpose of the proposed therapy is to administer chemotherapy (drugs to fight my cancer, which may also have other effects on my body) by mouth and/or by vein or by other type of injection.
 - b. The risks of the proposed chemotherapy:

Chemotherapy may cause nausea, vomiting, loss of appetite, mouth sores, hair loss, fatigue, a lowering of the white blood cell count (which can lead to a serious infections), a lowered platelet count (which can lead to bleeding), and a decrease in my red blood cell count (which can lead to shortness of breath, a rapid heartbeat or weakness). Due to these low blood counts, I may require red blood cell or platelet transfusions. My doctor will give me appropriate medications to try to decrease the severity of any side effects. Other side effects could occur, rarely death. It is important that I call my physician or nurse-coordinator with problems which occur during the course of my treatment. I always have the right to refuse chemotherapy at any time. It is possible that this chemotherapy may not be effective and my disease might progress.

Long-term side effects of chemotherapy can include injury to lungs, heart, liver and/or bladder. Acute leukemia can also develop as a result of chemotherapy.

Chemotherapy usually has an adverse effect on sperm and eggs and can cause me to be unable to have children. Chemotherapy can have harmful effects on an unborn child. If I am a woman, it is important to tell my physician if I think I may be pregnant. It is possible to conceive a child during treatment with chemotherapy. It is important that both men and women who are being treated with chemotherapy and who are sexually active, fertile, and who have a fertile partner use a reliable form of birth control (birth control pills, a reliable barrier method or a hormonal implant.)



The specific side-effects of Gemcitabine include:

Most Common (>10%)

- Nausea
- Vomiting
- Diarrhea
- Mouth sores
- Fluid retention
- Fever
- Skin rash
- Hair loss
- Low blood counts (white blood cells, red blood cells, platelets)
- Shortness of breath
- Flu-like syndrome
- Blood in urine
- Protein in urine
- Abnormal liver function (determined by blood test that measures liver enzymes)

Less Common (1-10%)

- Injection site reactions
- Numbness and tingling in fingers and toes

Rare but Serious (<1%)

- Anaphylactic reaction
- Heart attack
- Sepsis
- Kidney failure
- Respiratory failure

The specific side-effects of Docetaxel include:

Most Common (>10%)

- Fluid retention
- Fever
- Numbness and tingling in fingertips and toes
- Hair loss
- Nail changes
- Mouth sores
- Diarrhea
- Nausea
- Vomiting
- Low blood counts (White blood cells, red blood cells, platelets)
- Weakness
- Muscle aches
- High risk for infection
- Hypersensitivity reaction

Less Common (1-10%)

- Low blood pressure



- Decreased left ventricular ejection fraction
- Taste changes
- Joint aches
- Infusion site reactions
- Abnormal liver function (determined by blood test that measures liver enzymes)

Rare but Serious (<1%)

- Anaphylaxis
- Irregular heart rhythm
- Blood clots
- Gastrointestinal obstruction
- Gastrointestinal bleeding
- Heart attack
- Seizure
- Sepsis
- Kidney failure

- The medically reasonable alternative treatments and the risks associated with these alternative treatments have been described by my physician. These alternatives include no treatment, combinations of different chemotherapy drugs, or the same drugs given in different doses or on a different schedule.
- Without the proposed treatment my disease may progress, it could remain stable or, rarely, improve.
- I understand that during the course of this chemotherapy, unforeseen conditions may arise which could require the planned chemotherapy to be altered. All alterations to the planned chemotherapy will be discussed with me.
- I am aware that the practice of medicine is not an exact science, and I acknowledge that no guarantees have been made to me concerning the results of the proposed therapy.
- I acknowledge that the information I have received, as summarized on this form, is sufficient for me to consent to and authorize the chemotherapy described above. I have had the opportunity to ask questions concerning my condition, the chemotherapy, the alternatives and risks, and all questions have been answered to my satisfaction.
- I impose the following limitation(s) regarding my treatment (if none, so state): _____

- I authorize the staff of The Hershey Medical Center to preserve for scientific or teaching purposes any tissues or parts which may be removed in the course of this procedure, and to dispose of them.
- I authorize The Hershey Medical Center to permit other persons to observe this therapy with the understanding that such observation is for the purpose of advancing medical knowledge. I authorize The Hershey Medical Center to obtain photographic or other pictorial representations of this therapy, and to use such representations for scientific or teaching purposes.
- I certify that all blanks requiring insertion of information were completed before I signed this consent form.



_____ provided the information summarized above and obtained the
(Fill in name) consent for the procedure

_____/_____/_____
(Patient's Signature) (Date) (Time)
(or signature of person consenting on behalf of the patient)

_____/_____/_____
(Optional: Witness to Patient's Signature) (Date) (Time)

_____/_____
(Physician's Signature) (Date)

